

1. (Currently amended) An embroidered patch comprising:
non-woven fabric having a certain thickness;
1~2 mm thickness of soft material on the non-woven
fabric;

the embroidery portion embroidered non-woven fabric
and soft material in stitching yarns along a desired figure,
and the edge portion sewn along the circumference line of
said embroidery portion, and the embroidered patch is
completed by detaching the rest of non-woven fabric and
soft material, which is not embroidered, except said
embroidery portion with the edge portion.

2. (Currently amended) The embroidered patch as set
forth in claim 1, wherein said embroidered patch is
attached to cap by sewing.

3. (Currently amended) The embroidered patch as set
forth in claim 1, wherein said embroidered patch is
attached to bag by sewing.

4. (Currently amended) The embroidered patch as set
forth in claim 1, wherein said embroidered patch is
attached to clothes by sewing.

5. (Currently amended) The embroidered patch as set
forth in claim 1, wherein said soft material is Ethylene
Vinyl Acetate.

6. (Currently amended) A method of manufacturing a embroidered patch comprising;

preparing non-woven fabric having a certain thickness;

laying soft material on said non-woven fabric;

embroidering said non-woven fabric and soft material in stitching yarns along a desired figure;

sewing along the circumference edge line of said embroidered non-woven fabric and soft material;

detaching the rest of non-woven fabric and soft material, which is not embroidered, except said embroidered non-woven fabric and soft material with said sewn circumference edge line.

7. (Currently amended) An embroidered patch comprising:

non-woven fabric having a certain thickness;

the embroidery portion embroidered said non-woven fabric in stitching yarns along a desired figure, and the edge portion sewn along the circumference line of said embroidered portion, and the embroidered patch is completed by detaching the rest of non-woven fabric, which is not embroidered, except said embroidery portion with the edge portion.

Respectfully submitted,

By :



Boo Yl Park/CEO of DADA Corp.

On behalf of Inventor Jeong Chul Kwon
& Assignee DADA Corp.

#790-4, DADA Center Bldg.,

Yeoksam-dong, Kangnam-ku

Seoul, Republic of Korea

Tel. 82-2-559-9053

e-mail : ipt@e-dada.com